



Personal Data

Name : MB51  
 Sex : female  
 Age : 51  
 Blood Type :  
 ID No. :  
 Address :  
 Phone :  
 Laterality : Dextrality  
 Anamnesis :

Numerical Data Analysis

PARAMETERS OF THE IRIS :	S	D
Diameter (pix) =	516	518
Area (pix)	209117	210741
PARAMETERS OF THE PUPILLARY BORDER :		
Diameter (pix)	136	144
Diameter of the pupil in relation to iris (%)	26	27
Normal for current age 21-25%	Mydriasis	Mydriasis
Pupil border deformation degree (normal:0%...5%)	13	13
PARAMETERS OF THE PUPIL RELATIVE TO THE IRIS :		
Distance between the pupil and iris centers (%)	5.43	1.16
Normal (lower than 5% of above) or pathology	Pathology	Normal
PARAMETERS OF THE APPROXIMATE ELLIPSE		
Ellipseness degree of the pupil (normal: 95% ... 100%)	98	94
Pupil form type	Normal circle	Pathology ellipse
	Normal	Pathology
PARAMETERS OF THE PUPILLARY MARGIN :		
Type of the form -	regular Normal	regular Normal

S : Lower temporal protrusion ( 3:56 - 6:26) - 2.94 %  
S : Middle-nasal decentralization.  
S : Ellipseness of the pupil is normal.

D : Middle-temporal drawing in ( 8:00 - 9:30) - 2.78 %  
D : Basal protrusion ( 4:14 - 6:40) - 2.78 %  
D : Upper temporal protrusion (10:02 - 11:38) - 2.78 %  
D : Decentralization of the pupil is normal.  
D : Oval-diagonal form of the pupil.

Risk to cardiospastic reaction.  
Urogenital disturbances.

PARAMETERS OF THE AUTONOMIC NERVE WREATH (ANW):	S	D
Diameter (pix)	234	246
Perimeter (pix)	775	766
The ratio between Pupillary and Ciliary belts (%)	25.79	27.27
Normal (25..35%) or pathologic.	Normal	Normal
Asymmetry of pupillary belt (normal: 0..5%)	1.71	4.88
Type of the ANW form -	Normal regular Normal	Normal regular Normal

D: Basal zone of pupillary belt is constricted.  
S: Basal zone of pupillary belt is constricted.

Secondary functional weakness of pancreas. (stable changes).

Changes in liver stroma. Decrease of detoxicative function.  
Increased emotional lability, predisposition to spastic reactions. Overstressed state.  
Initial vertebral osteoarthrosis.

#### MIXED SUBTYPE.

Particular features of reaction: moderate lymphoid tissue reactivity and predisposition to metabolic disturbances (liver in particular).  
Metabolic disturbances : osteochondrosis, arthrosis, lithogenesis.