



Personal Data

Name : NT52
 Sex : female
 Age : 52

Numerical Data Analysis

PARAMETERS OF THE IRIS :	S	D
Diameter (pix) =	434	450
Area (pix)	147934	159043
PARAMETERS OF THE PUPILLARY BORDER :		
Diameter (pix)	76	78
Diameter of the pupil in relation to iris (%)	17	17
Normal for current age 21-25%	Miosis	Miosis
Pupil border deformation degree (normal:0%...5%)	25	23
PARAMETERS OF THE PUPIL RELATIVE TO THE IRIS :		
Distance between the pupil and iris centers (%)	4.61	7.11
Normal (lower than 5% of above) or pathology	Normal	Pathology
PARAMETERS OF THE APPROXIMATE ELLIPSE		
Ellipseness degree of the pupil (normal: 95% ... 100%)	90	93
Pupil form type	Pathology ellipse	Pathology ellipse
	Pathology	Pathology
PARAMETERS OF THE PUPILLARY MARGIN :		
Type of the form -	regular Normal	regular Normal

Diagnosis

S : Middle-temporal protrusion (2:14 - 3:54) - 2.63 %
S : Decentralization of the pupil is normal.
S : Oval-diagonal form of the pupil.

D : Middle-nasal protrusion (2:30 - 3:32) - 2.56 %
D : Upper-nasal decentralization.
D : Oval-horizontal form of the pupil.

Liver disease.

Depression, blood cerebral circulation disturbance, Bronchial asthma
predisposition.

Urogenital disturbances.

PARAMETERS OF THE AUTONOMIC NERVE WREATH (ANW):	S	D
Diameter (pix)	196	192
Perimeter (pix)	659	670
The ratio between Pupillary and Ciliary belts (%)	33.52	30.65
Normal (25..35%) or pathologic.	Normal	Normal
Asymmetry of pupillary belt (normal: 0..5%)	1.02	4.17
	Normal	Normal
Type of the ANW form -	drawn in	drawn in
	Pathology	Pathology

D: Frontal and basal zones of pupillary belt are constricted.

S: Frontal and basal zones of pupillary belt are constricted.

Acquired colitis. (stable changes).