



Personal Data

Name : annek60
 Sex : female
 Age : 60

Numerical Data Analysis

	S	D
PARAMETERS OF THE IRIS :		
Diameter (pix) =	466	444
Area (pix)	170554	154830
PARAMETERS OF THE PUPILLARY BORDER :		
Diameter (pix)	130	124
Diameter of the pupil in relation to iris (%)	27	27
Normal for current age 21-25%	Mydriasis	Mydriasis
Pupil border deformation degree (normal:0%...5%)	9	10
PARAMETERS OF THE PUPIL RELATIVE TO THE IRIS :		
Distance between the pupil and iris centers (%)	6.44	5.86
Normal (lower than 5% of above) or pathology	Pathology	Pathology
PARAMETERS OF THE APPROXIMATE ELLIPSE		
Ellipseness degree of the pupil (normal: 95% ... 100%)	97	95
Pupil form type	Normal circle Normal	Normal circle Normal
PARAMETERS OF THE PUPILLARY MARGIN :		
Type of the form -	regular Normal	regular Nor-

mal

Diagnosis

S : Lower temporal protrusion (3:22 - 6:46) - 3.08 %
S : Middle-nasal decentralization.
S : Ellipseness of the pupil is normal.

D : Basal protrusion (5:10 - 6:40) - 3.23 %
D : Upper-nasal decentralization.
D : Ellipseness of the pupil is normal.

Liver disturbances.

Risk to cardiospastic reaction.

PARAMETERS OF THE AUTONOMIC NERVE WREATH (ANW):	S	D
Diameter (pix)	238	230
Perimeter (pix)	826	793
The ratio between Pupillary and Ciliary belts (%)	32.14	33.13
Normal (25..35%) or pathologic.	Normal	Normal
Asymmetry of pupillary belt (normal: 0..5%)	11.76	4.35
Type of the ANW form -	Pathology indented	Normal drawn in Pathology Pathology

D: Frontal and basal zones of pupillary belt are constricted.
S: Middle-temporal shift.
S: Frontal zone of pupillary belt is constricted.

Overloads of the left ventricle.

Acquired colitis. Initial manifestations of pathology in compensation state.

Nephroptosis. (stable changes).

Acid-alkaline balance disturbance.

Initial vertebral osteoarthrosis.