



Personal Data

Name : BN-46
 Sex : Male
 Age : 46

Numerical Data Analysis

| | S | D |
|--|-------------------|-------------------|
| PARAMETERS OF THE IRIS : | | |
| Diameter (pix) = | 434 | 418 |
| Area (pix) | 147934 | 137228 |
| PARAMETERS OF THE PUPILLARY BORDER : | | |
| Diameter (pix) | 84 | 90 |
| Diameter of the pupil in relation to iris (%) | 19 | 21 |
| Normal for current age 23-32% | Miosis | Miosis |
| Pupil border deformation degree (normal:0%...5%) | 22 | 20 |
| PARAMETERS OF THE PUPIL RELATIVE TO THE IRIS : | | |
| Distance between the pupil and iris centers (%) | 6.45 | 6.70 |
| Normal (lower than 5% of above) or pathology | Pathology | Pathology |
| PARAMETERS OF THE APPROXIMATE ELLIPSE | | |
| Ellipseness degree of the pupil (normal: 95% ... 100%) | 89 | 92 |
| Pupil form type | Pathology ellipse | Pathology ellipse |
| PARAMETERS OF THE PUPILLARY MARGIN : | | |
| Type of the form - | regular Normal | regular Normal |

Diagnosis

S : Middle-temporal protrusion (2:16 - 4:36) - 9.52 %
S : Middle-nasal protrusion (8:54 - 10:06) - 4.76 %
S : Middle-nasal decentralization.
S : Oval-horizontal form of the pupil.

D : Frontal flatness (10:54 - 0:30) - 6.67 %
D : Middle-nasal decentralization.
D : Oval-horizontal form of the pupil.

Discirculatory encephalopathy. Depression.
Overloads of right parts of the heart.
Pathology of thyroid gland.
Pulmonary pathology.
Risk to cardioplastic reaction.
Depression, blood cerebral circulation disturbance, Bronchial asthma predisposition.

| PARAMETERS OF THE AUTONOMIC NERVE WREATH (ANW): | S | D |
|---|--------------------|--------------------|
| Diameter (pix) | 156 | 156 |
| Perimeter (pix) | 526 | 509 |
| The ratio between Pupillary and Ciliary belts (%) | 20.57 | 20.12 |
| Normal (25..35%) or pathologic. | Spastic | Spastic |
| Asymmetry of pupillary belt (normal: 0..5%) | 2.56 | 2.56 |
| Type of the ANW form - | Normal drawn in | Normal drawn in |
| | Pathology | Pathology |

D: Frontal and basal zones of pupillary belt are constricted.

S: Frontal and basal zones of pupillary belt are constricted.

Acquired colitis. (stable changes).

Chronic colitis.

Predisposition to allergic reactions.

Increased emotional lability, predisposition to spastic reactions. Overstressed state.

Initial vertebral osteoarthritis.

LYMPHATIC NEUROGEN SUBTYPE.

Increased reactivity of nervous system and lymphoid tissue.

Diligence, purposefulness, high efficiency may result in overstrain, nervous system exhaustion and nervous frustration. Migraine like headaches, irritative fatigue, nervous asthmatic attacks are frequent, gastric ulcer of nervous etiology is possible.